



set your ideas in motion!



System
90 Studio
8094




System
75 Plus Studio
7594



System
60 Studio
6094



System
25 Studio
2594



System
90 OB
8095



System
75 Plus OB 2000
7595

Fluid head	Code					
Cine 75 HD	7502					
Cine 30 HD	3006					
Video 90 FB	8092	•			•	
Video 75 Plus Studio	7501		•			•
Video 75 Plus EFP	7500					
Video 60 Plus Studio	6001			•		
Video 60 Plus EFP	6000					
Video 25 Plus FB	2501P				•	
Video 25 Plus	2500P					
Tripod/Pedestal						
Studio Ped 2-75	5275	•				
Vario Ped 2-75	5201		•	•	•	
OB 2000	6481				•	•
Cine 150 L	6290					
EFP 2 CF	6386					
Spreader						
Spreader Cine	7023					
SP 100/150	7003					
Mid-level spreader 100/150	7007					
Rubber feet 100/150	7004					
Dolly XL	7080				•	•
Cover	7004					
150 II	9310					
EFP 2	9315					
Multi Disc	3914		•	•	•	
Payload		60 kg/132 lb	60 kg/132 lb	60 kg/132 lb	35 kg/77 lb	115 kg/253.5 lb
Weight *		98 kg/216 lb	70 kg/154 lb	67 kg/148 lb	61 kg/134 lb	32 kg/70.5 lb
Height min./max.		90-167 cm/35.4-65.7"	92-169 cm/36.2-66.5"	90-167 cm/35.4-65.7"	86-163 cm/33.8-64.2"	116-177 cm/45.7-69.7"
Transport length						117-178 cm/46.1-70.1"

* without cover/padded bag



System
20 SB SL HD MCF
2075



System
20 SB HD MCF
2073



System
20 SB SL HD CF
2074



System
20 SB HD CF
2072



System
20 SB ENG 2 CF
2062



System
18 SB SL MCF
1865

Fluid head	Code					
Video 20 SB	2005	•	•	•	•	
Video 18 SB	1805					•
Video 15 SB	1505					
Tripod/Pedestal						
Pedestal C III	5195					
Speed Lock® CF HD	5590	•		•		
ENG 2 CF HD	5390		•		•	
ENG 2 CF	5386				•	
Speed Lock® CF	5586					•
ENG 2 D	5186					
Spreader						
SP 100/150	7003			•	•	
SP 100	7002					
Mid-level spreader 100/150	7007	•	•			•
Rubber feet 100/150	7004	•	•			•
Cover						
ENG 2	9311					
Padded bag						
ENG/EFP	9106	•	•	•	•	
ENG 2	9104					•
Payload		25 kg/55 lb	25 kg/55 lb	25 kg/55 lb	25 kg/55.1 lb	25 kg/55.1 lb
Weight *		10.3 kg/22.7 lb	9.9 kg/21.8 lb	10.8 kg/23.8 lb	10.4 kg/22.9 lb	8.2 kg/17.6 lb
Height min./max.		73-174 cm/28.7-68.5"	73-174 cm/28.7-68.5"	73-178 cm/28.7-70.1"	72-178 cm/28.3-70.1"	63-172 cm/24.8-67.7"
Transport length		94 cm/37"	94 cm/37"	94 cm/37"	94 cm/37"	89 cm/35"

Systems



System
60 OB 2000
6095



System
75 Plus EFP
7512




System
60 EFP 2 CF
6012



NEW!

System
30 EFP 2 MCF
3012



System
25 EFP 2 CF
2512



NEW!

System
Cine 75
7525



NEW!

System
Cine 30**
3025

65 kg/143 lb
27 kg/59.5 lb
115-176 cm/45.3-69.3"

81 kg/179 lb
20 kg/44.1 lb
80-183 cm/31.5-72"
100 cm/39.4"

65 kg/143 lb
16 kg/35.3 lb
77-181 cm/30.3-71.3"
97 cm/38.2"

35 kg/77 lb
12.2 kg/26.9 lb
77-173 cm/30.3-68.1"
95 cm/37.4"

35 kg/77 lb
11.6 kg/25.6 lb
75-178 cm/29.5-70.1"
95 cm/37.4"

75 kg/165 lb
25.7 kg/56.7 lb
108-199 cm/42.5-78.3"
127 cm/50"


35 kg/77 lb
20 kg/44.1 lb
105-195 cm/41.3-76.8"
123 cm/48.4"

** incl. front pan bar



NEW!

System
18 SB ENG 2 MCF
1863



NEW!

System
18 SB SL CF
1864




NEW!

System
18 SB ENG 2 CF
1862



NEW!

System
18 SB ENG 2 D
1861



NEW!

System
15 SB C III
1570




System
15 SB SL MCF
1565



System
15 SB ENG 2 MCF
1563



System
15 SB ENG 2 CF
1562



System
15 SB ENG 2 D
1561

18 kg/39.7 lb
8.4 kg/18.5 lb
67-168 cm/26.4-66.1"
89 cm/35"

18 kg/39.7 lb
8.3 kg/18.3 lb
63-172 cm/24.8-67.7"
89 cm/35"

18 kg/39.7 lb
7.9 kg/17.4 lb
63-172 cm/24.8-67.7"
89 cm/35"

18 kg/39.7 lb
8.5 kg/18.7 lb
63-172 cm/24.8-67.7"
89 cm/35"

16 kg/35.3 lb
18.3 kg/40.3 lb
86-170 cm/33.9-66.9"
91-177 cm/35.8-69.7"

16 kg/35.3 lb
7.5 kg/16.5 lb
67-168 cm/26.4-66.1"
89 cm/35"


16 kg/35.3 lb
7.1 kg/15.7 lb
67-168 cm/26.4-66.1"
89 cm/35"

16 kg/35.3 lb
6.6 kg/14.6 lb
63-172 cm/24.8-67.7"
89 cm/35"

16 kg/35.3 lb
7.2 kg/15.9 lb
63-172 cm/24.8-67.7"
89 cm/35"



set your ideas in motion!



System
12 SB SL MCF
1265



System
12 SB ENG 2 MCF
1263



System
12 SB ENG 2 CF
1262



System
12 SB
1260



System
8/100 SB ENG 2 CF
0862



System
8/100 SB
0860




System
8 SB SL MCF
0850

Fluid head	Code						
DV 12 SB	1205	•	•	•	•		
DV 8/100 SB	0806					•	•
DV 8 SB	0805						•
DV 6 SB	0605						
Tripod							
Speed Lock® CF	5586	•					
ENG 2 CF	5386		•				
DA 100 L	5182				•		
Speed Lock® 75 CF	4588						•
ENG 75/2 D	4188						
DA 75 L	4183						
Spreader							
SP 100	7002		•	•	•	•	
SP 75	7001						
Mid-level spreader 100/150	7007	•	•				
Rubber feet 100/150	7004	•	•				
Set Mid-level spreader 75	7011						•
Cover							
ENG 2	9311					•	
100 II	9309			•	•		•
Padded bag							
ENG 2	9104	•	•				
DV 75 S	9108						•
DV 75 L	9109						
Payload		14 kg/30.9 lb	14 kg/30.9 lb	14 kg/30.9 lb	14 kg/30.9 lb	12 kg/26.5 lb	12 kg/26.5 lb
Weight *		7.5 kg/16.5 lb	7.1 kg/15.7 lb	6.6 kg/14.55 lb	6.9 kg/15.2 lb	6.4 kg/14.1 lb	6.7 kg/14.8 lb
Height min./max.		67-168 cm/26.4-66.1"	67-168 cm/26.4-66.1"	63-172 cm/24.8-67.7"	82-159 cm/32.3-62.6"	63-172 cm/24.8-67.7"	82-159 cm/32.3-62.6"
Transport length		89 cm/35"	89 cm/35"	89 cm/35"	101 cm/39.8"	89 cm/35"	101 cm/39.8"
							84 cm/33.1"

* without cover/padded bag




System
DV 4 II SL MCF
0435



NEW!

System
DV 4 II MD
0433



NEW!

System
DV 4 II MD
0432



System
DV 4 II/2
0431



System
DV 4 II
0430



System
DV 2 II SL MCF
0235



NEW!


System
DV 2 II MD
0233

Fluid head	Code						
DV 4 II	0403	•	•	•	•	•	
DV 2 II	0203						•
DV 1	-						
Tripods							
Speed Lock® 75 CF	4588	•					•
ENG 75/2 D	4188		•		•		•
DA 75 L	4183			•		•	
Spreader							
SP 75	7001				•	•	
Set Mid-level spreader 75	7011	•	•	•			•
Cover							
75	9212						
DV 2	9213						
Padded bag							
DV 75 S	9108	•	•		•	•	•
DV 75 L	9109			•		•	
DV bag							
L	-						
S	-						
Payload		6 kg/13.2 lb	6 kg/13.2 lb	6 kg/13.2 lb	6 kg/13.2 lb	6 kg/13.2 lb	3 kg/6.6 lb
Weight *		4.8 kg/10.6 lb	4.9 kg/10.8 lb	4.7 kg/10.4 lb	5 kg/11 lb	4.8 kg/10.6 lb	4.9 kg/10.8 lb
Height min./max.		76-159 cm/29.9-62.6"	76-159 cm/29.9-62.6"	94-157 cm/37-61.8"	50-163 cm/19.7-64.2"	77-157 cm/30.3-61.8"	76-159 cm/29.9-62.6"
Transport length		83 cm/32.7"	83 cm/32.7"	100 cm/39.4"	83 cm/32.7"	100 cm/39.4"	83 cm/32.7"


Systems




System
8 SB/2 MD
0843



System
8 SB MD
0842




System
8 SB/2D
0841



System
8 SB
0840



System
6 SB SL MCF
0650



System
6 SB/2 MD
0643



System
6 SB MD
0642



System
6 SB/2D
0641



System
6 SB
0640

12 kg/26.5 lb
5.5 kg/12.1 lb
77-160 cm/30.3-63"
84 cm/33.1"

12 kg/26.5 lb
5.3 kg/11.7 lb
95-158 cm/37.4-62.2"
101 cm/39.8"

12 kg/26.5 lb
5.6 kg/12.3 lb
51-164 cm/20.1-64.6"
84 cm/33.1"

12 kg/26.5 lb
5.4 kg/11.9 lb
78-158 cm/30.7-62.2"
101 cm/39.8"

9 kg/19.8 lb
5.4 kg/11.9 lb
77-160 cm/30.3-63"
84 cm/33.1"

9 kg/19.8 lb
5.5 kg/12.1 lb
77-160 cm/30.3-63"
84 cm/33.1"

9 kg/19.8 lb
5.3 kg/11.7 lb
95-158 cm/37.4-62.2"
101 cm/39.8"

9 kg/19.8 lb
5.6 kg/12.3 lb
51-164 cm/20.1-64.6"
84 cm/33.1"

9 kg/19.8 lb
5.4 kg/11.9 lb
78-158 cm/30.7-62.2"
101 cm/39.8"




System
DV 2 II MD
0232




System
DV 2 II/2
0231




System
DV 2 II
0230



System
DV 1 SL MCF
0135



System
DV 1/2 MD
0133



System
DV 1 MD
0132



System
DV 1/2D
0131



System
DV 1
0130

3 kg/6.6 lb
4.7 kg/10.4 lb
94-157 cm/37-61.8"
100 cm/39.4"

3 kg/6.6 lb
5 kg/11 lb
50-163 cm/19.7-64.2"
83 cm/32.7"

3 kg/6.6 lb
4.8 kg/10.6 lb
77-157 cm/30.3-61.8"
100 cm/39.4"

2 kg/4.4 lb
4.6 kg/10.1 lb
76-159 cm/29.9-62.6"
83 cm/32.7"

2 kg/4.4 lb
4.7 kg/10.4 lb
76-159 cm/29.9-62.6"
83 cm/32.7"

2 kg/4.4 lb
4.5 kg/9.9 lb
94-157 cm/37-61.8"
100 cm/39.4"

2 kg/4.4 lb
4.8 kg/10.6 lb
50-163 cm/19.7-64.2"
83 cm/32.7"

2 kg/4.4 lb
4.6 kg/10.1 lb
77-157 cm/30.3-61.8"
100 cm/39.4"